





ZECL-26-2923 SPECIFICATIONS

ZERO CLEARANCE SERIES Fireplace Features

- Clean face
- Can be hard wired
- No grills
- Three stage heater
- 4-stage front and 4-stage back light
- Featuring the latest LED light technology with multi color
- Heat can operate without flame
- Approx. heating area 400-500 sq. ft.
- Flame operates with or without heat
- Remote control for flame and heater included
- Front and rear control for lighting effects
- Plug located on the left side
- Three colors of fire glass media & log all included in the box






Enduring & Timeless.


By design the ZECL-26-2923 is an excellent choice for new construction or renovation projects. Simple and quick to install, this aesthetically pleasing unit features a black glass surround that easily compliments any decor. Comes with three colors of fire glass media & fire log.

ZECL-26-2923 (shown above) with log set, is included with the Zero Clearance Series and Insert Series.

| Volts | 120 |
|--------------------------|-----------------------------------|
| Amps | 12.5 |
| Watts | 1500 max |
| Heater | 1500 watts high, 750 watts low |
| No Heater | 22 watts |
| Lamps | LED 22 watts |
| Rotor Motor | 1 at 5 watts |
| Height, Width, Depth | 22 1/2 x 25 1/2 x 8 1/2 |
| Glass Viewing Opening | 21 x 11 3/8 |
| Glass Size | 29 1/4 x 23 |
| Shipping Size | 25 1/4 x 32 3/4 x 12 1/4 |
| Shipping Weight | 55 lbs. Glass Included |
| Cord Length | 76" |









ZECL-30-3226 SPECIFICATIONS





| Volts | 120 |
|--------------------------|-----------------------------------|
| Amps | 12.5 |
| Watts | 1500 max |
| Heater | 1500 watts high, 750 watts low |
| No Heater | 22 watts |
| Lamps | LED 22 watts |
| Rotor Motor | 1 at 5 watts |
| Height, Width, Depth | 24 3/4 x 29 1/2 x 8 1/2 |
| Glass Viewing Opening | 24 5/8 x 13 |
| Glass Size | 32 1/2 x 25 5/8 |
| Shipping Size | 25 1/4 x 32 3/4 x 12 1/4 |
| Shipping Weight | 64 lbs. Glass Included |
| Cord Length | 76" |

Hot & Fashionable.

Designed for new construction or renovation projects, the electric ZECL-30-3226 is and excellent alternative to gas or wood fireplaces. Quick and easy installation allow for immediate enjoyment of the state-of-the-art flame and heating system. Comes with three colors of fire glass media & fire log.

The ZECL-30-3226 also fits into our optional Aspen Series cabinetry (see page 8).







ZECL-33-3624 SPECIFICATIONS





| Volts | 120 |
|--------------------------|-----------------------------------|
| Amps | 12.5 |
| Watts | 1500 max |
| Heater | 1500 watts high, 750 watts low |
| No Heater | 22 watts |
| Lamps | LED 22 watts |
| Rotor Motor | 1 at 5 watts |
| Height, Width, Depth | 22 1/4 x 30 3/4 x 8 1/2 |
| Glass Viewing Opening | 25 x 11 5/8 |
| Glass Size | 35 x 24 |
| Shipping Size | 26 x 38 1/4 x 12 1/4 |
| Shipping Weight | 64 lbs. Glass Included |
| Cord Length | 76" |


Clean & Distinct.

An excellent alternative to gas or wood fireplaces, the electric ZECL-33-3624 is designed for new construction or renovation projects. Enjoy the state-of-the-art flame and heating system faster thanks to a quick and easy installation. Comes with three colors of fire glass media & fire log.

The ZECL-33-3624 also fits into our optional Aspen Series cabinetry (see page 8).










ZECL-39-4134 SPECIFICATIONS




Volts 120 Amps 12.5 Watts 1500 max 1500 watts high, Heater 750 watts low No Heater 22 watts Lamps LED 22 watts Rotor Motor 1 at 5 watts Height, Width, Depth 32 x 37 1/2 x 8 1/2 Glass Viewing 30 7/8 x 20 3/8 Opening Glass Size 41 x 34 1/2 Shipping Size 36 3/8 x 44 1/8 x 12 1/4 86 lbs. Glass Included Shipping Weight Cord Length 76"

Striking & Bold.

This bold unit is both eye catching and practical. The ZECL-39-4134 is designed for easy, fast installation and is perfect for new construction builds or renovations. Features a black glass surround and comes with three colors of fire glass media & fire log.








ZECL-2939 SPECIFICATIONS




Versatile & Cozy.

The ZECL-2939 electric fireplace is a stylish, vertical option. It gives you the benefit of fitting easily into a small room, adding warmth to any space in your home. Comes with three colors of fire glass media & log. Ideal for new construction or renovations.

| Volts | 120 |
|--------------------------|-----------------------------------|
| Amps | 12.5 |
| Watts | 1500 max |
| Heater | 1500 watts high, 750 watts low |
| No Heater | 22 watts |
| Lamps | LED 22 watts |
| Rotor Motor | 1 at 5 watts |
| Height, Width, Depth | 37 3/4 x 24 1/4 x 8 1/2 |
| Glass Viewing Opening | 21 1/2 x 26 3/4 |
| Glass Size | 29 1/2 x 38 3/4 |
| Shipping Size | 41 x 32 1/2 x 12 1/4 |
| Shipping Weight | 66 lbs. Glass Included |
| Cord Length | 76" |





33P SPECIFICATIONS

Zero Clearance Series Fireplace Features


- 120 Volt 1500 watt or 220 Volt - 3000 watt/ 5000 btu heater
- Approx heating area -400 sq. ft
- Flame operates with or without heat
- Remote control for flame and heater (included)
- Easy to reach manual controls
- Fire glass is not included with the 33P and 39P
- Plug located on the right side
- Cord length 76"



33P Electric Fireplace

Eco-friendly and practical. This easy-to-install electric, zero clearance fireplace instantly brings your existing gas fireplace to life. With lifelike flame technology get the look of a wood fire with a realistic log set and ember bed. The unit can be operated with flame only or flame and heat.

| Volts | 120 |
|--------------------------|--|
| Amps | 14 |
| Watts | 1435 |
| Heater | 1350 watts high, 675 watts low |
| No Heater | 85 watts |
| Lamps | 2 each 40 watt Candelabra Incandescent, 80 watts total |
| Rotor Motor | 1@5 watts |
| Height, Width, Depth | 27 3/4 h x 30 1/8 w x 5 7/8 d |
| Glass Viewing Opening | 28-3/4 x 20-1/8 |
| Glass Size | 28-3/4 x 20-1/8 |
| Shipping Size | 34 x 10 x 31 |
| Shipping Weight | 62 lbs. Glass Included |




39P SPECIFICATIONS




| Volts | 120 |
|--------------------------|---|
| Amps | 14 |
| Watts | 1515 |
| Heater | 1350 watts high, 675 watts low |
| No Heater | 165 watts |
| Lamps | 4 each 40 watt Candelabra Incandescent, 160 watts total |
| Rotor Motor | 1@5 watts |
| Height, Width, Depth | 31 3/4 h x 36 w x 5 7/8 d |
| Glass Viewing Opening | 34 7/8 w x 19 5/8 h |
| Glass Size | 35 1/2 w x 20 5/8 h |
| Shipping Size | 40 x 10 x 35 |
| Shipping Weight | 74 lbs. Glass Included |

39P Electric Fireplace

A twin to the 33" model, this larger eco-friendly electric, zero clearance fireplace is easy-to-install and allows the warmth and comfort of a lifelike fire, making it practical for condo or apartment living. Get the look of a wood fire with a realistic log set and ember bed. The unit can be operated with flame only or flame and heat.



ASPEN SERIES CABINETRY









Simply White



Espresso



Quality Craftsmanship.

The Aspen Series Cabinetry is beautifully hand crafted from maple hardwood and is the perfect mantle to house the ZECL-33-3420. The Aspen mantle is available unfinished and ready to take on any color you choose, as well as in two stained finishes - Simply White and Espresso. The Aspen is easy to assemble and available only for the ZECL-33-3240. Cabinet (above) shown in Espresso. Unassembled pieces shown below.



ACCESSORIES

LOG SET

The logs come with both the Zero Clearance Series and Insert Series



FIRE GLASS COLORS

The three fire glass colors below are included with the Zero Clearance Series (excluding the 33P and 39P) and Insert Series



Hz-01 Clear

Hz-04 Harvest Moon

Hz-05 Goldenrod

OPTIONAL FIRE GLASS

The three optional fire glass colors below are not included with your fireplace unit. They are available to purchase for an additional charge.







Hz-06 Blaze

Hz-07 Sunset

Hz-08 Sable



INSERT-26-3825 SPECIFICATIONS

INSERT SERIES Fireplace Features


- Clean face
- No grills
- Three stage heater
- 4 stage front and 4 stage back light
- 4 leveling legs on the underside
- Featuring the latest LED light technology with multi color
- Heat can operate with out flame
- Approx. heating area 400-500 sq. ft.
- Flame operates with or without heat
- Remote control for flame and heater included
- Front and rear control for lighting effects
- Plug located on the left side
- Cord length 76"
- Three colors of fire glass media & log all included in the box



| Volts | 120 |
|--------------------------|-----------------------------------|
| Amps | 12.5 |
| Watts | 1500 max |
| Heater | 1500 watts high, 750 watts low |
| No Heater | 22 watts |
| Lamps | LED 22 watts |
| Rotor Motor | 1@5 watts |
| Height, Width, Depth | 16 3/4 x 25 1/4 x 8 1/2 |
| Glass Viewing Opening | 23 3/4 x 9 1/2 |
| Glass Size | 38 x 25 |
| Shipping Size | 27 1/4 x 41 3/8 x 12 1/4 |
| Shipping Weight | 62 lbs. Glass Included |

Ideal for Home Improvements

Designed as an alternative for wood or gas inserts the INSERT-26-3825 is modern and sophisticated. This unit is quick and easy to install making it an ideal application if you are renovating an existing fireplace. Comes with three colors of fire glass media & log.






INSERT-30-4230 SPECIFICATIONS



| Volts | 120 |
|--------------------------|-----------------------------------|
| Amps | 12.5 |
| Watts | 1500 max |
| Heater | 1500 watts high, 750 watts low |
| No Heater | 22 watts |
| Lamps | LED 22 watts |
| Rotor Motor | 1@5 watts |
| Height, Width, Depth | 19 1/4 x 29 1/2 x 8 1/2 |
| Glass Viewing Opening | 27 3/4 x 11 1/2 |
| Glass Size | 42 x 30 |
| Shipping Size | 32 3/8 x 44 3/4 x 12 1/4 |
| Shipping Weight | 73 lbs. Glass Included |

Practical & Efficient.

Breath new life into existing masonry or metal fireplaces with the stylish electric Insert-30-4230. Designed as an alternative for wood or gas inserts the Insert-30-4230 is modern and sophisticated. This medium sized unit is ideal for renovations and is quick and easy to install. Comes with three colors of fire glass media & log.






INSERT-33-4230 SPECIFICATIONS



| Volts | 120 |
|--------------------------|-----------------------------------|
| Amps | 12.5 |
| Watts | 1500 max |
| Heater | 1500 watts high, 750 watts low |
| No Heater | 22 watts |
| Lamps | LED 22 watts |
| Rotor Motor | 1@5 watts |
| Height, Width, Depth | 22 1/4 x 30 3/4 x 8 1/2 |
| Glass Viewing Opening | 29 1/4 x 11 3/4 |
| Glass Size | 42 x 30 |
| Shipping Size | 32 3/8 x 45 1/8 x 12 1/4 |
| Shipping Weight | 80 lbs. Glass Included |

Charming & Resourceful.

A perfect alternative for wood or gas inserts, the electric Insert-33-4230 is stylish and practical. This large sized unit is quick and easy to install making it an ideal application if you are renovating an existing fireplace. Comes with three colors of fire glass media & log.



PRICE LIST

| Part Number | Description | MSRP |
|---|--|------|
| | | |
| ZERO CLEARANCE | | |
| ZECL-26-2923 | 26" Zero Clearance Unit with 29" x 23" Black Glass Surround | |
| ZECL-30-3226 ZECL-30-3226-MANT-NATURALGRAIN ZECL-30-3226-MANT-ESPRESSO ZECL-30-3226-MANT-SIMPLYWHITE | 30" Zero Clearance Unit with 32" x 26" Black Glass Surround 30" Unit with Natural Grain (Unfinished) Mantle 30" Unit with Espresso stained Mantle 30" Unit with White stained Mantle | |
| ZECL-33-3624 | 33" Zero Clearance Unit with 36" x 24" Black Glass Surround | |
| ZECL-39-4134 | 39" Zero Clearance Unit with 41" x 34" Black Glass Surround | |
| ZECL-2939 | Zero Clearance Electric Fireplace | |
| 33P 39P | Performance Unit using 120v Performance Unit using 120v | |
| INSERTS | | |
| INSERT-26-3825 INSERT-30-4230 INSERT-33-4230 | Small Insert Electric Fireplace Medium Insert Electric Fireplace Large Insert Electric Fireplace | |

Amantii

Phone: 888.406.8764 Fax: 877.498.4206 Web site: www.amantii.com



Distributed By:





